

amadeus (he apis)

entering apis primary travel document information

to create an sssr for apis passport/identity card information,
enter for example:

srdocs ba hk1-p-gbr-012345678-gbr-30jun73-m-14apr09-johnson-
simon-paul-h/p1/s3

sr transaction code (mandatory)
docs sssr code for apis primary travel document
 (mandatory)
ba airline code where message to be sent (mandatory)
hk action code (hk only) (mandatory)
1 number of services requested (mandatory)
-p dash, travel document type (*) - f for approved
 non-standard identity document used for travel,
 ac for crew member certificate, a for identity card,
 c for identity card, i for identity card,
 ip for passport card, p for passenger passport
 (* means optional for specific airlines)
-gbr dash, travel document issuing country/state (*)
 use the three-letter airimp country code
-012345678 dash, travel document number (*)
-gbr dash, passenger/crew nationality in the
 three-letter airimp country code format (*)
-30jun73 dash, date of birth in ddmmyy-format (*)
-m dash, gender indicator (*) - m for male,
 f for female, mi for male infant,
 fi for female infant, u for undisclosed gender
-14apr09 dash, travel document expiry date (*)
-johnson dash, travel document surname (*)
-simon dash, travel document first given name (*)
-paul dash, travel document second name (optional)
-h dash, passport holder indicator (mandatory for a
 multi-passenger passport after the name of the
 primary passport holder)
/p1 passenger association (mandatory for a multi-
 passenger pnr)
/s3 segment association (optional)

system response:

ssr docs ba hk1 p/gbr/012345678/gbr/30jun73/m/14apr09/johnson/
simon/paul/h/p1/s3

entering apis secondary travel document information

to create an sssr for apis visa information, enter for example:

**srdoco ba hk1-manchester gbr-v-17317323-london gbr-18jun04-
usa/p1/s3**

sr	transaction code (mandatory)
doco	ssr code (mandatory)
ba	airline code where message to be sent (mandatory)
hk	action code (hk only) (mandatory)
1	number of services requested (mandatory)
-manchester gbr	dash, passenger/crew place of birth - free- flow text (optional)
-v	dash, travel document type (v only) (mandatory if visa data is present)
-17317323	dash, visa number (mandatory if -v indicator present)
-london gbr	dash, visa place of issue (mandatory if -v indicator present)
-18jun04	dash, visa issue date in ddmmyy-format (mandatory if -v indicator present)
-usa	dash, country/state where the visa applies - use the three-letter airimp country code format (mandatory if -v indicator present)
-i	dash, infant indicator (mandatory for infants not occupying a seat)
/p1	passenger association (mandatory for a multi- passenger pnr)
/s3	segment association (optional)

system response:

ssr doco ba hk1/manchester gbr/v/17317323/london gbr/18jun04
/usa/p1/s3

when you do not enter an optional element, enter a dash (-) in
its place, unless you are not entering any further elements.

example: all visa information except place of birth

sr doco ba hk1--v-17317323-london gbr-18jun04-usa

system response:

ssr doco ba hk1 /v/17317323/london gbr/18jun04/usa

**for infants traveling on an associated passenger's visa, create
a separate sssr with the same visa details as the associated
passenger, adding the infant indicator. example:**

adult entry:

srdoco ba hk1-manchester gbr-v-17317323-london gbr-18jun04-
usa/p1

infant entry:

srdoco ba hk1-manchester gbr-v-17317323-london gbr-18jun04-
usa-i/p1

entering apis address information

to create an ssr for apis address information, enter for example:

srdoca ba hk1-d-usa-301 park avenue-new york-ny-10022/p1/s3

sr	transaction code (mandatory)
doca	ssr code (mandatory)
ba	airline code where message to be sent
hk	action code (hk only) (mandatory)
1	number of services requested (mandatory)
-d	type of address (*) - d for destination, r for residence
-usa	dash, country (optional) - use the three-letter airimp country code format
-301 park avenue	dash, address details (optional)
-new york	dash, city (optional)
-ny	dash, state/province/country as free text (optional)
-10022	dash, zip code/postal code (optional)
-i	dash, infant indicator (mandatory for infants not occupying a seat)
/p1	passenger association (mandatory for a multi-passenger pnr)
/s3	segment association (optional)

system response:

ssr doca ba hk1 d/usa/301 park avenue/new york/ny/10022/p1/s3

when you do not enter an optional element, enter a dash (-) in its place, unless you are not entering any further elements.

for an infant, create a separate ssr with the same address details as the associated passenger, adding the infant indicator. for example:

adult entry:

srdoca ba hk1-d-usa-301 park avenue-new york-ny-10022/p1/s3

infant entry:

srdoca ba hk1-d-usa-301 park avenue-new york-ny-10022-i/p1/s3